

Who Is TeleHub

- Formed in January 1996, after three years of research and development, to introduce the technology capable of integrating the delivery of voice, data, and video services over ATM/IP
- Three basic target markets
 - Services
 - Custom platform
 - Original equipment manufacturer (OEM)

Corporate Structure

• TeleHub Communications Corporation (TCC) is the parent company of two operating subsidiaries


TeleHub Technologies Corp. (TTC)

- Research and Development
- Software and Technology
- Customer Platform and OEM Services

TeleHub Network Services Corp. (TNSC)

- Transport Services
- Mediated Services
- Network Operations









The Technology Play


- Industry has embraced ATM/IP as network technology
 - Current service providers face negative financial implications to upgrade their current systems
 - TeleHub has taken advantage of a "clean slate" strategy
 - Service providers require "switched and dedicated" access for integrated voice, data, and video access for ATM/IP transport services

The Technology Play






TeleHub Network Services Goals





TeleHub Network Services Goals

• Access to service functionality that will enhance our customers opportunities and capabilities for sales





TeleHub Network Services Goals

Access to new capabilities as TeleHub technology evolves





TeleHub Network Services Target Markets

Wholesale Transport Network

- Switchless resellers
- Small interexchange carriers
- Competitive local exchange carriers
- Independent local exchange providers
- Signaling service providers




TeleHub Network Services Target Markets

Mediated Access Services

- All Wholesale Transport Network markets
- LECs in new markets
- Large interexchange carriers
- Unbundled Local Access Network Services



TNS VASP ATM/IP Network





Virtual Access Services Platform

- VASP is a fully distributed and fault-tolerant network platform that acts as a "supervisory shell" to underlying signaling and transport networks
- VASP offers customers access to services without major capital expenditures
 - No proprietary access required
 - Transport efficiencies
 - Access to enhanced services
 - Provides sophisticated management, billing, and control capabilities
 - Accelerates market entry for competitive providers





- Service Management System (SMS):
 - Houses all the fundamental database support functions of the network, including features, functions, and various customer information
- Network Control Point (NCP):
 - NCP is the engine that drives the service logic and processing
- Master Element Manager (MEM):
 - MEM is the routing engine for all network transactions






- Transport Element Manager (TEM):
 - Manages the transport layer of the network via legacy interfaces
 (DS-0 thru OC-12) to the ATM/IP network hierarchy
- Signaling Element Manager (SEM):
 - Manages the signaling layer of the network via legacy SS7,
 ATM/IP and other advanced signaling protocols
- Interface Element Manager (IEM):
 - Manages the interface layer for the support systems interfacing to the advanced VASP database logic (OSS, SMS, Billing platforms, PIC / CARE, ... etc.)










Contact Chuck Eckenberg at 1-800-TELEHUB for additional information






Contact Chuck Eckenberg at 1-800-TELEHUB for additional information



Mediation Layout







TeleHub's IP Exchange Strategy




What Is IP Exchange

- A Technology that will enable service providers to deliver the full range of services on a ubiquitous basis
- A Paradigm shift in transport services
 - Migration from the existing legacy environment
 - Secure IP Environment
 - Dynamic IN (Intelligent Network) Platform
 - Open, off-the-shelf architecture





IP Exchange Migration Strategy



Today: Toll Traffic Transport

Level 1: Local Traffic Transport

Tandem Switch Bypass

Level 2: Loop Plant Access

Local Switch Bypass

Level 3: Direct Subscriber Access

Network Bypass





Gurnee Location Lab

- Pre-installation equipment and program testing
- Engineering and technical training








SS7 Transaction


 Provides a "Call Detail" record, including the Calling Number, Dialed Number, Charged Number, and the Virtual Routing Number (VRN)





SS7 Messages


• Details SS7 messages from the IAM to the release





Message State Diagram

 Graphical display of the SS7 transaction, broken down from the initial call message to the CIC code





Call Detail Record

- Provides a detailed record of calls that can
- be utilized as a log-in system or dedicated to a network
 - Tracks the call duration in seconds

